

892057







COXDENS[®] PP FLEX

Installation instructions | Montageanleitung | Montagehandleiding | Instructions d'installation
Istruzioni di installazione | Instrucciones de instalación




Cox Geelen


D0205P00




①




②




③




①



②




③




①



②




③



④




⑤



⑥





①




②




③




④





⑤



OPTION




ARTF..601
BRTF..601
CRTF..601




ARFX..601
BRFX..601
CRFX..601


①





②





③




①





②




③




④



CLICK!!




OPTION




B2 - 87°
AKDD..600
BKDD..600

B2 - 45°




ARGG..601
BRGG..601

B3 - 45°




ARGJ..601
BRGJ..601

C9 - 45°




ARGF..601
BRGF..601

C9_x - 45°





ARGH..601
BRGH..601

C9 - 87°





BRJK..601


OPTION




ARGK..501
BRGK..501





ARGW..501
BRGW..501



ARCT..501
BRCT..501
CRCT..501



①



②



Cox Geelen

Emmastraat 92 • 6245 HZ Eijsden • PO-Box 6 • 6245 ZG Eijsden • The Netherlands
T +31 (0)43 40 99 500 • F +31 (0)43 40 91 987 • sales@coxgeelen.com • www.coxgeelen.com
Chamber of Commerce Limburg 14608324